



SOVERN

GROUP

LAMINATE FLOORING

Laminate, *in plank and herringbone*

HDF laminate flooring in long planks and herringbone, with a standard core and a water-resistant black core, at 8 and 12 mm, made to your specification.

PLANKS AND HERRINGBONE | SAMPLES ON REQUEST | ISSUED 1 NOV 2026

Laminate flooring, made to your specification

HDF laminate flooring in long planks and herringbone, with a standard core and a water-resistant black core. This catalogue lists the formats, thicknesses and cores we supply, and a selection of decors.

CORE	FORMATS
HDF, standard or water-resistant black core	Planks 1218 x 198 and 1520 x 238 mm, herringbone 600 x 100 mm
THICKNESS	SURFACE
8 and 12 mm	Embossed in register, AC3, AC4 and AC5
JOINT	
Click-lock with a 4V groove bevel	
<ul style="list-style-type: none">■ Long planks to 1520 mm■ Herringbone in many tones■ Standard and water-resistant black core■ 8 and 12 mm thickness■ Underlay attached on request	<ul style="list-style-type: none">■ Any colour: we source the decor papers■ OEM on every flooring product■ Samples on request■ Quoted to your format and quantity

Construction	PAGE 3
Specifications	PAGE 4
Herringbone	PAGE 5
Looks: planks	PAGE 6
Looks: herringbone	PAGE 7
Herringbone in the room	PAGE 8
Enquire	PAGE 9

How the floor is built

A wear surface of aluminium oxide sits over a printed decor paper, an HDF core and a balancing layer. An underlay can be attached to the back. The decor and the embossed texture are matched, so the grain you see is the grain you feel.

Construction

	STANDARD LAMINATE	WATER-RESISTANT BLACK CORE
Core	HDF	Black HDF
Core density	810 to 830 kg/m ³ at 8 mm, 830 to 850 kg/m ³ at 12 mm	850 kg/m ³
Surface	Embossed in register, following the decor	Embossed in register, following the decor
Wear class	AC3, AC4 and AC5	AC3, AC4 and AC5
Joint and edge	Click-lock, 4V groove bevel	Click-lock, 4V groove bevel
Gloss	5 to 12 points	5 to 12 points
Wax coating	Optional	Included

The black core and the wax coating slow the effect of spills and everyday humidity. This is a water-resistant floor, not a waterproof one: it does not protect against flooding, leaks or moisture from the subfloor. Care and installation instructions are supplied with the floor.

Standard laminate

Planks in two formats at 8 and 12 mm, with a 2 mm underlay attached or none. The number of square metres in a carton is calculated from the pieces and the format.

Standard HDF core

FORMAT (MM)	THICKNESS	UNDERLAY	PIECES PER CARTON	M ² PER CARTON
1218 x 198	8 mm	None	8	1.93
1218 x 198	8 mm	2 mm attached	8	1.93
1520 x 238	8 mm	2 mm attached	8	2.89
1218 x 198	12 mm	None	8	1.93
1520 x 238	12 mm	None	8	2.89

Water-resistant black core

The same formats on a black HDF core with a wax coating.

Water-resistant black core

FORMAT (MM)	THICKNESS	UNDERLAY	PIECES PER CARTON	M ² PER CARTON
1218 x 198	8 mm	2 mm attached	8	1.93
1520 x 238	8 mm	2 mm attached	8	2.89
1218 x 198	12 mm	None	8	1.93
1520 x 238	12 mm	None	8	2.89

Herringbone

Short 600 x 100 mm planks that lay in a herringbone pattern, on the standard core or the water-resistant black core. A larger 600 x 240 mm block, 8 to 12 mm thick, is also made.

Herringbone, standard and water-resistant black core

FORMAT (MM)	THICKNESS	UNDERLAY	PIECES PER CARTON	M ² PER CARTON
600 x 100	12 mm	None	30	1.80



HERRINGBONE IN A HONEY OAK DECOR


Both cores are laid the same way. The herringbone format is supplied in cartons of 30 pieces.

Plank decors


From pale grey, sand and natural oak through honey and golden tones to smoked, chestnut, walnut and espresso, in the long plank format.



Pale grey LF-P01




Light oak LF-P02



Warm taupe LF-P03




Pale sand LF-P04



Natural oak LF-P05




Mid oak LF-P06



Honey oak LF-P07



Warm honey LF-P08



Golden oak LF-P09




Smoked grey LF-P10



Weathered grey LF-P11



Dark smoked oak LF-P12



Chestnut LF-P13



Walnut brown LF-P14



Espresso LF-P15


Shown as a colour and finish reference. Any colour can be made: we source the decor papers. The format, thickness and core you need are confirmed on enquiry.

Herringbone colours

Taupe, pale grey, sand, honey and golden oak, from light to warm.




Light taupe oak LF-H01



Pale honey LF-H02



Golden oak LF-H03




Honey amber LF-H04




Sand oak LF-H05




Grey taupe LF-H06




Honey LF-H07



Light grey LF-H08



Taupe LF-H09





Pale grey LF-H10



Shown as a colour and finish reference. Any colour can be made: we source the decor papers. The format, thickness and core you need are confirmed on enquiry.

Herringbone in the room

The same herringbone laid in living and dining spaces, in walnut, natural, golden, pale and taupe tones.



Left to right, top to bottom: walnut, natural oak, golden oak, light oak, pale oak and grey taupe herringbone.

Ask for a quotation

Send us the format, thickness, core, decor and quantity you need and we will confirm availability and send your quotation.

We make every flooring product to OEM, in your colour and under your brand. Samples of any decor can be arranged.


Sovern Group

alex@soverngroup.co

[+886 970 781 818](tel:+886970781818)

soverngroup.co

Follow us on LinkedIn: [linkedin.com/company/sovern-group](https://www.linkedin.com/company/sovern-group)



WeChat

SCAN TO ADD ALEX MCCONNELL



WhatsApp

SCAN TO MESSAGE ALEX