

SOVERN

GROUP

READY STOCK

Ready stock, *ready to ship*

SPC, LVT and WPC flooring already made. 48 lots. Mix any stock products in one container.

1 x 20ft container | FOB Shanghai | Issued 30 Oct 2026

Container terms

Minimum order
1 x 20ft container

Mixing
Mix any stock products in one container

Basis
FOB Shanghai

Availability
Subject to prior sale. A selection is a request, not an order: the quantity available is confirmed on your proforma.

How it works

1 **Select lots**
Tick the lots you want. Any stock products can be mixed to fill your container.

2 **We confirm**
We confirm the quantity available for each lot, then send your proforma.

3 **Book and ship**
Confirm the proforma and we book the container for loading.

In this catalogue

SPC rigid core flooring	13 lots
LVT flooring	13 lots
WPC rigid core flooring	8 lots
Discounted lots	14 lots

> Each lot shows the m² available and the date it was counted. Quantities change as lots sell: live availability is on **soverngroup.co/en/ready-stock**, and the quantity is confirmed on your proforma. Ask us for the price of any lot.

SPC rigid core flooring

Stone plastic composite core: rigid, dimensionally stable and waterproof.

Wood look

Available	2,600 m² (27,986 sq ft), as at 18 Sept 2026, subject to prior sale
Size	184.15 x 1219.2 mm (7.25 x 48 in)
Thickness	4 mm total, 0.3 mm wear layer
Core	4 mm
Installation	Click, angle-angle
Packing	Carton and pallet details on request

Wood look

Available	5,000 m² (53,819 sq ft), as at 18 Sept 2026, subject to prior sale
Size	184.15 x 1219.2 mm (7.25 x 48 in)
Thickness	6.5 mm total, 0.5 mm wear layer
Core	5 mm
Underlay	1.5 mm EVA
Installation	Click, angle-angle or fold-down
Packing	Carton and pallet details on request

Wood look

Available	2,600 m² (27,986 sq ft), as at 18 Sept 2026, subject to prior sale
Size	184.15 x 1219.2 mm (7.25 x 48 in)
Thickness	4 mm total, 0.3 mm wear layer
Core	4 mm
Installation	Click, angle-angle
Packing	Carton and pallet details on request

Wood look

Available	5,000 m² (53,819 sq ft), as at 18 Sept 2026, subject to prior sale
Size	228.6 x 1524 mm (9 x 60 in)
Thickness	5.5 mm total, 0.55 mm wear layer
Core	4.5 mm
Underlay	1 mm IXPE
Installation	Click, angle-angle
Packing	Carton and pallet details on request

Wood look

Available	2,500 m² (26,909 sq ft), as at 18 Sept 2026, subject to prior sale
Size	184.15 x 1219.2 mm (7.25 x 48 in)
Thickness	4 mm total, 0.3 mm wear layer
Core	4 mm
Installation	Click, angle-angle
Packing	Carton and pallet details on request

Wood look

Available	8,000 m² (86,111 sq ft), as at 18 Sept 2026, subject to prior sale
Size	228.6 x 1219.2 mm (9 x 48 in)
Thickness	5 mm total, 0.3 mm wear layer
Core	4 mm
Underlay	1 mm IXPE
Installation	Click, angle-angle
Packing	Carton and pallet details on request

Wood look

Available	2,500 m² (26,909 sq ft), as at 18 Sept 2026, subject to prior sale
Size	228.6 x 1219.2 mm (9 x 48 in)
Thickness	5 mm total, 0.3 mm wear layer
Core	4 mm
Underlay	1 mm IXPE
Installation	Click, angle-angle
Packing	Carton and pallet details on request

Wood look

Available	2,600 m² (27,986 sq ft), as at 18 Sept 2026, subject to prior sale
Size	228.6 x 1219.2 mm (9 x 48 in)
Thickness	5 mm total, 0.3 mm wear layer
Core	4 mm
Underlay	1 mm IXPE
Installation	Click, angle-angle
Packing	Carton and pallet details on request

Wood look

Available	4,500 m² (48,437 sq ft), as at 18 Sept 2026, subject to prior sale
Size	177.8 x 1524 mm (7 x 60 in)
Thickness	6 mm total, 0.3 mm wear layer
Core	5 mm
Underlay	1 mm IXPE
Installation	Click, angle-angle
Packing	Carton and pallet details on request

Wood look

Available	2,900 m² (31,215 sq ft), as at 18 Sept 2026, subject to prior sale
Size	177.8 x 1524 mm (7 x 60 in)
Thickness	6 mm total, 0.3 mm wear layer
Core	5 mm
Underlay	1 mm IXPE
Installation	Click, angle-angle
Packing	Carton and pallet details on request

Wood look

Available	4,500 m² (48,437 sq ft), as at 18 Sept 2026, subject to prior sale
Size	177.8 x 1524 mm (7 x 60 in)
Thickness	6 mm total, 0.3 mm wear layer
Core	5 mm
Underlay	1 mm IXPE
Installation	Click, angle-angle
Packing	Carton and pallet details on request

Wood look

Available	4,500 m² (48,437 sq ft), as at 18 Sept 2026, subject to prior sale
Size	177.8 x 1524 mm (7 x 60 in)
Thickness	6 mm total, 0.3 mm wear layer
Core	5 mm
Underlay	1 mm IXPE
Installation	Click, angle-angle
Packing	Carton and pallet details on request

Wood look

Available	4,500 m² (48,437 sq ft), as at 18 Sept 2026, subject to prior sale
Size	177.8 x 1524 mm (7 x 60 in)
Thickness	6 mm total, 0.3 mm wear layer
Core	5 mm
Underlay	1 mm IXPE
Installation	Click, angle-angle
Packing	Carton and pallet details on request

LVT flooring

Luxury vinyl tile in click and glue-down formats, wood and stone looks.

Wood look

Available	5,000 m² (53,819 sq ft), as at 18 Sept 2026, subject to prior sale
Size	184.15 x 1219.2 mm (7.25 x 48 in)
Thickness	4 mm total, 0.5 mm wear layer
Core	4 mm
Installation	Click, angle-angle
Packing	Carton and pallet details on request

Wood look

Available	1,000 m² (10,763 sq ft), as at 18 Sept 2026, subject to prior sale
Size	184.15 x 1219.2 mm (7.25 x 48 in)
Thickness	2 mm total, 0.2 mm wear layer
Core	2 mm
Installation	Dry back, glue-down
Packing	Carton and pallet details on request

Wood look

Available	9,500 m² (102,257 sq ft), as at 18 Sept 2026, subject to prior sale
Size	152.4 x 914.4 mm (6 x 36 in)
Thickness	2 mm total, 0.15 mm wear layer
Core	2 mm
Installation	Dry back, glue-down
Packing	Carton and pallet details on request

Wood look

Available	3,100 m² (33,368 sq ft), as at 18 Sept 2026, subject to prior sale
Size	152.4 x 914.4 mm (6 x 36 in)
Thickness	3 mm total, 0.3 mm wear layer
Core	3 mm
Installation	Dry back, glue-down
Packing	Carton and pallet details on request

Wood look

Available	2,200 m² (23,680 sq ft), as at 18 Sept 2026, subject to prior sale
Size	152.4 x 914.4 mm (6 x 36 in)
Thickness	3 mm total, 0.3 mm wear layer
Core	3 mm
Installation	Dry back, glue-down
Packing	Carton and pallet details on request

Wood look

Available	4,600 m² (49,513 sq ft), as at 18 Sept 2026, subject to prior sale
Size	152.4 x 914.4 mm (6 x 36 in)
Thickness	2 mm total, 0.15 mm wear layer
Core	2 mm
Installation	Dry back, glue-down
Packing	Carton and pallet details on request

Wood look

Available	450 m² (4,843 sq ft), as at 18 Sept 2026, subject to prior sale
Size	152.4 x 914.4 mm (6 x 36 in)
Thickness	3 mm total, 0.2 mm wear layer
Core	3 mm
Installation	Dry back, glue-down
Packing	Carton and pallet details on request

Wood look

Available	700 m² (7,534 sq ft), as at 18 Sept 2026, subject to prior sale
Size	152.4 x 914.4 mm (6 x 36 in)
Thickness	3 mm total, 0.2 mm wear layer
Core	3 mm
Installation	Dry back, glue-down
Packing	Carton and pallet details on request

Wood look

Available	500 m² (5,381 sq ft), as at 18 Sept 2026, subject to prior sale
Size	184.15 x 1219.2 mm (7.25 x 48 in)
Thickness	5 mm total, 0.5 mm wear layer
Core	5 mm
Installation	Click, angle-angle
Packing	Carton and pallet details on request

Wood look

Available	1,900 m² (20,451 sq ft), as at 18 Sept 2026, subject to prior sale
Size	184.15 x 1219.2 mm (7.25 x 48 in)
Thickness	5 mm total, 0.3 mm wear layer
Core	4 mm
Installation	Click, angle-angle
Packing	Carton and pallet details on request

Wood look

Available	1,300 m² (13,993 sq ft), as at 18 Sept 2026, subject to prior sale
Size	184.15 x 1219.2 mm (7.25 x 48 in)
Thickness	3 mm total, 0.2 mm wear layer
Core	3 mm
Installation	Dry back, glue-down
Packing	Carton and pallet details on request

Stone and tile look

Available	1,700 m² (18,298 sq ft), as at 18 Sept 2026, subject to prior sale
Size	304.8 x 939.8 mm (12 x 37 in)
Thickness	5 mm total, 0.5 mm wear layer
Core	5 mm
Installation	Click, angle-angle
Packing	Carton and pallet details on request

Stone and tile look

Available	1,000 m² (10,763 sq ft), as at 18 Sept 2026, subject to prior sale
Size	304.8 x 939.8 mm (12 x 37 in)
Thickness	5 mm total, 0.5 mm wear layer
Core	5 mm
Installation	Click, angle-angle
Packing	Carton and pallet details on request

WPC rigid core flooring

Wood plastic composite core: a warmer, quieter rigid floor, several with an attached underlay.

Wood look

Available	2,800 m² (30,138 sq ft), as at 18 Sept 2026, subject to prior sale
Size	228.6 x 1219.2 mm (9 x 48 in)
Thickness	8 mm total, 0.5 mm wear layer
Core	6 mm
Underlay	2 mm EVA
Installation	Click, fold-down
Packing	Carton and pallet details on request

Wood look

Available	800 m² (8,611 sq ft), as at 18 Sept 2026, subject to prior sale
Size	177.8 x 1219.6 mm (7 x 48 in)
Thickness	6 mm total, 0.3 mm wear layer
Core	6 mm
Installation	Click, angle-angle
Packing	Carton and pallet details on request

Wood look

Available	1,900 m² (20,451 sq ft), as at 18 Sept 2026, subject to prior sale
Size	177.8 x 1219.6 mm (7 x 48 in)
Thickness	6 mm total, 0.3 mm wear layer
Core	6 mm
Installation	Click, angle-angle
Packing	Carton and pallet details on request

Wood look

Available	1,200 m² (12,916 sq ft), as at 18 Sept 2026, subject to prior sale
Size	228.6 x 1219.2 mm (9 x 48 in)
Thickness	8 mm total, 0.5 mm wear layer
Core	6 mm
Underlay	2 mm EVA
Installation	Click, fold-down
Packing	Carton and pallet details on request

Wood look

Available	1,500 m² (16,145 sq ft), as at 18 Sept 2026, subject to prior sale
Size	228.6 x 1219.2 mm (9 x 48 in)
Thickness	8 mm total, 0.5 mm wear layer
Core	6 mm
Underlay	2 mm EVA
Installation	Click, fold-down
Packing	Carton and pallet details on request

Wood look

Available	1,200 m² (12,916 sq ft), as at 18 Sept 2026, subject to prior sale
Size	228.6 x 1219.2 mm (9 x 48 in)
Thickness	8 mm total, 0.5 mm wear layer
Core	6 mm
Underlay	2 mm EVA
Installation	Click, fold-down
Packing	Carton and pallet details on request

Wood look

Available	1,600 m² (17,222 sq ft), as at 18 Sept 2026, subject to prior sale
Size	228.6 x 1219.2 mm (9 x 48 in)
Thickness	8 mm total, 0.5 mm wear layer
Core	6 mm
Underlay	2 mm EVA
Installation	Click, fold-down
Packing	Carton and pallet details on request

Wood look

Available	900 m² (9,687 sq ft), as at 18 Sept 2026, subject to prior sale
Size	228.6 x 1219.2 mm (9 x 48 in)
Thickness	8 mm total, 0.5 mm wear layer
Core	6 mm
Underlay	2 mm EVA
Installation	Click, fold-down
Packing	Carton and pallet details on request

Discounted lots

Discounted SPC rigid core lots. Ask us for the price of any lot.

Painted bevel

Available	23,269 m² (250,465 sq ft), as at 21 May 2026, subject to prior sale
Size	144 x 1213 mm
Thickness	5 mm total, 0.3 mm wear layer
Core	3.7 mm
Underlay	1 mm IXPE
Edge	Painted bevel
Installation	Click
Carton	10 planks, 1.75 m² (18.84 sq ft), 14.2 kg
Pallet	54 cartons, 94.32 m² (1015.25 sq ft), 811.8 kg gross

Painted bevel

Available	62,708 m² (674,982 sq ft), as at 21 May 2026, subject to prior sale
Size	144 x 1213 mm
Thickness	5 mm total, 0.3 mm wear layer
Core	3.7 mm
Underlay	1 mm IXPE
Edge	Painted bevel
Installation	Click
Carton	10 planks, 1.75 m² (18.84 sq ft), 14.2 kg
Pallet	54 cartons, 94.32 m² (1015.25 sq ft), 811.8 kg gross



Painted bevel

Available	56,608 m² (609,327 sq ft), as at 21 May 2026, subject to prior sale
Size	144 x 1213 mm
Thickness	5 mm total, 0.3 mm wear layer
Core	3.7 mm
Underlay	1 mm IXPE
Edge	Painted bevel
Installation	Click
Carton	10 planks, 1.75 m² (18.84 sq ft), 14.2 kg
Pallet	54 cartons, 94.32 m² (1015.25 sq ft), 811.8 kg gross

Painted bevel

Available	42,545 m² (457,950 sq ft), as at 21 May 2026, subject to prior sale
Size	144 x 1213 mm
Thickness	5 mm total, 0.3 mm wear layer
Core	3.7 mm
Underlay	1 mm IXPE
Edge	Painted bevel
Installation	Click
Carton	10 planks, 1.75 m² (18.84 sq ft), 14.2 kg
Pallet	54 cartons, 94.32 m² (1015.25 sq ft), 811.8 kg gross

Painted bevel

Available	7,582 m² (81,622 sq ft), as at 21 May 2026, subject to prior sale
Size	144 x 1213 mm
Thickness	5 mm total, 0.3 mm wear layer
Core	3.7 mm
Underlay	1 mm IXPE
Edge	Painted bevel
Installation	Click
Carton	10 planks, 1.75 m² (18.84 sq ft), 14.2 kg
Pallet	54 cartons, 94.32 m² (1015.25 sq ft), 811.8 kg gross

Painted bevel

Available	42,024 m² (452,342 sq ft), as at 21 May 2026, subject to prior sale
Size	144 x 1213 mm
Thickness	5 mm total, 0.3 mm wear layer
Core	3.7 mm
Underlay	1 mm IXPE
Edge	Painted bevel
Installation	Click
Carton	10 planks, 1.75 m² (18.84 sq ft), 14.2 kg
Pallet	54 cartons, 94.32 m² (1015.25 sq ft), 811.8 kg gross

Painted bevel

Available	33,703 m² (362,778 sq ft), as at 21 May 2026, subject to prior sale
Size	144 x 1213 mm
Thickness	5 mm total, 0.3 mm wear layer
Core	3.7 mm
Underlay	1 mm IXPE
Edge	Painted bevel
Installation	Click
Carton	10 planks, 1.75 m² (18.84 sq ft), 14.2 kg
Pallet	54 cartons, 94.32 m² (1015.25 sq ft), 811.8 kg gross

Painted bevel

Available	34,370 m² (369,962 sq ft), as at 21 May 2026, subject to prior sale
Size	144 x 1213 mm
Thickness	5 mm total, 0.3 mm wear layer
Core	3.7 mm
Underlay	1 mm IXPE
Edge	Painted bevel
Installation	Click
Carton	10 planks, 1.75 m² (18.84 sq ft), 14.2 kg
Pallet	54 cartons, 94.32 m² (1015.25 sq ft), 811.8 kg gross

Painted bevel

Available	5,308 m² (57,141 sq ft), as at 21 May 2026, subject to prior sale
Size	144 x 1213 mm
Thickness	5 mm total, 0.3 mm wear layer
Core	3.7 mm
Underlay	1 mm IXPE
Edge	Painted bevel
Installation	Click
Carton	10 planks, 1.75 m² (18.84 sq ft), 14.2 kg
Pallet	54 cartons, 94.32 m² (1015.25 sq ft), 811.8 kg gross

Micro bevel

Available	36,458 m² (392,437 sq ft), as at 21 May 2026, subject to prior sale
Size	144 x 1213 mm
Thickness	5 mm total, 0.3 mm wear layer
Core	3.7 mm
Underlay	1 mm IXPE
Edge	Micro bevel
Installation	Click
Carton	10 planks, 1.75 m² (18.84 sq ft), 14.2 kg
Pallet	54 cartons, 94.32 m² (1015.25 sq ft), 811.8 kg gross

Micro bevel

Available	89,033 m² (958,348 sq ft), as at 21 May 2026, subject to prior sale
Size	144 x 1213 mm
Thickness	5 mm total, 0.3 mm wear layer
Core	3.7 mm
Underlay	1 mm IXPE
Edge	Micro bevel
Installation	Click
Carton	10 planks, 1.75 m² (18.84 sq ft), 14.2 kg
Pallet	54 cartons, 94.32 m² (1015.25 sq ft), 811.8 kg gross

Micro bevel

Available	74,108 m² (797,695 sq ft), as at 21 May 2026, subject to prior sale
Size	144 x 1213 mm
Thickness	5 mm total, 0.3 mm wear layer
Core	3.7 mm
Underlay	1 mm IXPE
Edge	Micro bevel
Installation	Click
Carton	10 planks, 1.75 m² (18.84 sq ft), 14.2 kg
Pallet	54 cartons, 94.32 m² (1015.25 sq ft), 811.8 kg gross

Micro bevel

Available	18,463 m² (198,742 sq ft), as at 21 May 2026, subject to prior sale
Size	144 x 1213 mm
Thickness	5 mm total, 0.3 mm wear layer
Core	3.7 mm
Underlay	1 mm IXPE
Edge	Micro bevel
Installation	Click
Carton	10 planks, 1.75 m² (18.84 sq ft), 14.2 kg
Pallet	54 cartons, 94.32 m² (1015.25 sq ft), 811.8 kg gross



Micro bevel

Available	44,466 m² (478,635 sq ft), as at 21 May 2026, subject to prior sale
Size	144 x 1213 mm
Thickness	5 mm total, 0.3 mm wear layer
Core	3.7 mm
Underlay	1 mm IXPE
Edge	Micro bevel
Installation	Click
Carton	10 planks, 1.75 m² (18.84 sq ft), 14.2 kg
Pallet	54 cartons, 94.32 m² (1015.25 sq ft), 811.8 kg gross

Select your lots

Choose lots and quantities on **soverngroup.co/en/ready-stock**, or send us the lot codes and we will confirm the quantity available and send your proforma.

Quantities are as counted on the date shown and are subject to prior sale. Sending a selection is a request, not an order: the quantity available for each lot is confirmed on your proforma. If a lot has sold in the meantime, it is withdrawn and we tell you.

Sovern Group
alex@soverngroup.co
+886 970 781 818
soverngroup.co
Follow us on LinkedIn: linkedin.com/company/sovern-group

WeChat
Scan to add Alex McConnell

WhatsApp
Scan to message Alex